

generic name for lortab 10 500

[\[PDF\] what is the price of plavix](#)

[\[PDF\] wo kann ich cialis original kaufen](#)

[\[PDF\] motrin 800 cost](#)

[\[PDF\] how much does ponstel cost](#)

[\[PDF\] brand name for misoprostol](#)

[\[PDF\] cephalixin ratiopharm 1000 beipackzettel](#)

[\[PDF\] soma tuition cost](#)

Take Lortab exactly as prescribed. This can cause life-threatening withdrawal symptoms in the baby after it is born. We comply with the HONcode standard for trustworthy health information - verify here. Do not use Lortab if you have taken a MAO inhibitor in the past 14 days. Avoid driving or operating machinery until you know how Lortab will affect you. Stop taking Lortab and call your doctor right away if you have skin redness or a rash that spreads and causes blistering and peeling. Seek medical attention right away if you have symptoms of serotonin syndrome, such as: Do not stop using Lortab suddenly after long-term use, or you could have unpleasant withdrawal symptoms. If you have any questions about the drugs you are taking, check with your doctor, nurse or pharmacist. This medication may impair your thinking or reactions. If you do not have a dose-measuring device, ask your pharmacist for one. Read Next Norco Reviews. Hydrocodone may be habit-forming, even at regular doses. You should not use Lortab if you are allergic to acetaminophen Tylenol or hydrocodone, or if you have recently used alcohol, sedatives, tranquilizers, or other narcotic medications. MAO inhibitors include isocarboxazid, linezolid, phenelzine, rasagiline, selegiline, and tranylcypromine. Follow all directions on your prescription label. Other drugs may interact with acetaminophen and hydrocodone, including prescription and over-the-counter medicines, vitamins, and herbal products. Never share this medicine with another person, especially someone with a history of drug abuse or addiction. Acetaminophen sometimes abbreviated as APAP is contained in many combination medicines. LORTAB 10/ (hydrocodone bitartrate and acetaminophen) Tablets, USP 10 mg/ mg. DESCRIPTION. Hydrocodone bitartrate and acetaminophen is supplied in tablet form for oral administration. WARNING: May be habit forming (see PRECAUTIONS, Information for Patients, and DRUG ABUSE AND. Our Lortab 10/ (hydrocodone bitartrate and acetaminophen) Side Effects Drug Center provides a comprehensive view of available drug information on the potential side effects when taking this medication. This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side. Jump to What is acetaminophen and hydrocodone (Anexsia, Co-Gesic, Hycet - Generic Name: acetaminophen and hydrocodone (Pronunciation: a SEET a MIN oh fen and hie droe KOE done). What is acetaminophen and hydrocodone (Anexsia, Co-Gesic, Hycet, Liquicet, Lorcet 10/, Lorcet Plus, Lortab 10/ Learn about Norco 5/ (Hydrocodone Bitartrate and Acetaminophen) may treat, uses, dosage, side effects, drug interactions, warnings, patient labeling, reviews, on the other side. Each tablet contains 10 mg hydrocodone bitartrate and mg acetaminophen. They are supplied as follows: Bottles of Bottles of Find patient medical information for Hydrocodone-Acetaminophen Oral on WebMD including its uses, side effects and safety, interactions, pictures, warnings and user ratings. GENERIC NAME(S): Hydrocodone-Acetaminophen Hydrocodone works in the brain to change how your body feels and responds to pain. Lortab (acetaminophen and hydrocodone) is used to relieve moderate to severe pain. Lortab. Generic Name: acetaminophen and hydrocodone (a SEET a MIN oh fen and hie droe KOE done) Brand Names: Hycet, Lorcet, Lortab 10/, Lortab 5/, Lortab /, Lortab Elixir, Norco, Verdrocet, Vicodin, Xodol, Zamicet. Hydrocodone/acetaminophen (Vicodin, Lorcet, Lortab, Norco, Xodol, Hycet) is inexpensive drug used to treat moderate to severe pain. It is more popular than comparable drugs. It is available in multiple generic and brand versions. Generic hydrocodone/acetaminophen is covered by most Medicare and insurance plans, but. Children Use and dose must be determined by your doctor. For oral dosage form (10 mg per mg tablets). Adults. Lortab: 1 tablet every 4 to 6 hours as needed. Your doctor may increase your dose as needed. However, the dose is usually not more than 6 tablets per day. Generic: Dose depends on the strength of. Brand Names: Anexsia, Co-Gesic, Hycet, Liquicet, Lorcet 10/, Lorcet Plus, Lortab 10/, Lortab /, Lortab 5/, Lortab /, Lortab Elixir, Maxidone, Norco, Polygesic, Stagesic, Vicodin, Vicodin ES, Vicodin HP, Xodol, Zamicet, Zolvit, Zydone. Generic Name: acetaminophen and hydrocodone (Pronunciation: a. Among the many brands the dose of acetaminophen ranges between and mg, and the dose of hydrocodone ranges between and 10 mg. Vicodin was recently reformulated, and the acetaminophen component was reduced to mg in all preparations, however, generic formulations may still contain and.