

## prescription drug pletal

[\[PDF\] best generic hydrocodone 10/325](#)

[\[PDF\] buy clomid for cheap](#)

[\[PDF\] oxycodone powder for sale](#)

[\[PDF\] prices for generic effexor xr](#)

[\[PDF\] generic actos launch](#)

[\[PDF\] serevent prescription](#)

[\[PDF\] clobetasol spray price](#)

PKA also prevents the activation of an enzyme myosin light-chain kinase that is important in the contraction of smooth muscle cells, thereby exerting its vasodilatory effect. Journal of Clinical Pharmacy and Therapeutics. Antithrombotics thrombolytics , anticoagulants and antiplatelet drugs B S4 Prescription only UK: Retrieved 27 December From Wikipedia, the free encyclopedia. Retrieved from " https: Cilostazol 50 mg-TEV, white, rectangular.. Cilostazol has been studied in people without heart failure, without evidence of harm, but much more data would be needed to determine no risk exists. This information is for educational purposes only, and not meant to provide medical advice, treatment, or diagnosis. Its main effects are dilation of the arteries supplying blood to the legs and decreasing platelet coagulation. Cilostazol mg-MYL, white, round,. The proton pump inhibitor omeprazole , a potent inhibitor of CYP2C19, increases exposure to the active metabolite of cilostazol. If you would like to obtain more information about these advertising practices and to make choices about online behavioral advertising, please click here. C Risk not ruled out. Clorindione Diphenadione Phenindione Other: Cilostazol 50 mg-MYL, white, round,. By using this site, you agree to the Terms of Use and Privacy Policy. Drug information contained herein may be time sensitive. Cilostazol is a quinolinone-derivative medication used in the alleviation of the symptoms of intermittent claudication in individuals with peripheral vascular disease. Drug information on Pletal (cilostazol), includes drug pictures, side effects, drug interactions, directions for use, symptoms of overdose, and what to avoid. Claudication pain is caused by too little oxygen getting to the muscles. Cilostazol can increase blood flow and the amount of oxygen that gets to the muscles. Cilostazol is an antiplatelet drug and a vasodilator. It works by stopping blood cells called platelets from sticking together and prevents them from forming harmful clots. Cilostazol (Pletal) is a drug prescribed to improve walking distance and speed in patients with intermittent claudication. Side effects, drug interactions, and pregnancy safety is included in the information packet. Sep 15, - Cilostazol comes as a tablet to take by mouth. It is usually taken twice a day, at least 30 minutes before or 2 hours after breakfast and dinner. Take cilostazol at around the same times every day. Follow the directions on the prescription label carefully, and ask your doctor or pharmacist to explain any part you. Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take Pletal (cilostazol) with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your. Pletal is contraindicated in patients with heart failure of any severity. Cilostazol and several of its metabolites are inhibitors of phosphodiesterase III. Several drugs with this pharmacologic effect have caused decreased survival compared to placebo in patients with class III-IV heart failure [see Contraindications (4)]. Pletal is usually taken twice a day on an empty stomach, at least 30 minutes before or 2 hours after breakfast or dinner. Take the medicine at the same time each day. It may take up to 12 weeks before your symptoms improve. Keep using the medication as directed and tell your doctor if your symptoms do not improve after 4. Medscape - Indication-specific dosing for Pletal (cilostazol), frequency-based adverse effects, comprehensive interactions, contraindications, pregnancy & lactation schedules, and cost information. Jan 18, - Cilostazol is the generic form of the brand name prescription drug Pletal, used to treat intermittent claudication. Intermittent claudication is a condition characterized by narrowing of blood vessels in the legs, which causes leg pain that worsens with walking and improves when resting. The drug is in a class. Vasodilators like cilostazol increase the distance you can walk before the pain develops. Cilostazol works in two ways. It increases blood flow by widening the blood vessels of the affected areas and it also reduces the clotting activity of blood cells called platelets. Cilostazol is prescribed by specialist doctors when it is not.