

vicodin pharmacologic class

[\[PDF\] amlodipine ratiopharm 5 mg](#)

[\[PDF\] prescription strength ibuprofen dose](#)

[\[PDF\] buspar generic xanax](#)

[\[PDF\] where to buy cialis reviews](#)

[\[PDF\] sams club pharmacy cialis](#)

[\[PDF\] xanax placebo effect sale cheap](#)

[\[PDF\] what is generic name for zoloft](#)

Do not use extra medicine to make up the missed dose. An opioid is sometimes called a narcotic. Do not use this medicine if you have taken a MAO inhibitor in the past 14 days. Acetaminophen sometimes abbreviated as APAP is contained in many combination medicines. MAO inhibitors include isocarboxazid, linezolid, phenelzine, rasagiline, selegiline, and tranylcypromine. An overdose of acetaminophen can damage your liver or cause death. This could occur even if you have taken acetaminophen in the past and had no reaction. Avoid driving or operating machinery until you know how Vicodin will affect you. Subscribe to receive email notifications whenever new articles are published. You may need to stop using the medicine for a short time. Taking certain products together can cause you to get too much acetaminophen which can lead to a fatal overdose.Hydrocodone/Acetaminophen CII. Hydrocodone bitartrate, acetaminophen; 5mg/mg, mg/mg, 10mg/mg; tabs. Indications for Hydrocodone/Acetaminophen. Dec 4, - Vicodin is an prescription medication used to treat moderate to severe pain. It is a single product containing 2 medications: hydrocodone and acetaminophen. The hydrocodone part of Vicodin belongs to a class of drugs called opiates. These help to reduce pain by inhibiting pain signals sent to your brain.?Overview ?User Ratings ?Drug Interactions ?Drug Precautions. Never share Vicodin with another person, especially someone with a history of drug abuse or addiction. Keep the Hydrocodone is a drug of abuse and you should be aware if anyone is using your medicine improperly or without a prescription. Since Vicodin is taken as needed, you may not be on a dosing schedule. Includes common brand names, drug descriptions, warnings, side effects and dosing information. Therapeutic Class: Opioid/Acetaminophen Combination Uses For Vicodin. Hydrocodone and acetaminophen combination is used to relieve moderate to moderately severe pain. Acetaminophen is used to relieve pain and. Explains the medication hydrocodone/acetaminophen (Vicodin, Vicodin ES, Vicodin HP, Anexsia, Lortab, Lorcet, Lorcet Plus, Norco, Zydone) a narcotic drug used as a pain reliever and cough suppressant. Article includes descriptions, uses, drug interactions, and side effects. Read more about the prescription drug ?What is hydrocodone ?What are the side effects of ?What is the dosage for. HYDROcodone/ibuprofen. Reprexain, Vicoprofen. Classification. Therapeutic:allergy, cold, and cough remedies (antitussive), opioid analgesics. Pharmacologic:opioid agonists/nonopioid analgesic combinations. Schedule II (Zohydro ER)III (in combination). Pregnancy Category C. For information on the acetaminophen. Although it is always prudent to use the smallest dose of acetaminophen for the shortest duration necessary, courses less than 2 weeks in length have been Hydrocodone should be kept out of the reach of pediatric patients, others for whom the drug was not prescribed, and pets as accidental exposure may cause. Hydrocodone/paracetamol, also known as hydrocodone/acetaminophen or hydrocodone/APAP and marketed under the trade name Vicodin among others, is the combination of an opioid pain medication, hydrocodone, with paracetamol (acetaminophen). It is used as a prescription drug to relieve moderate to severe pain. Aug 3, - Learn about Vicodin (Hydrocodone Bitartrate and Acetaminophen) may treat, uses, dosage, side effects, drug interactions, warnings, patient labeling, reviews, and related medications. Hydrocodone bitartrate and acetaminophen tablets contain hydrocodone, a Schedule II controlled substance. As the drug schedule changes-- Schedule II, Schedule III, etc., so does the abuse potential-- Schedule V drugs represents the least potential for abuse. Combination products with less than 15 milligrams of hydrocodone per dosage unit (Vicodin), cocaine, methamphetamine, methadone, hydromorphone (Dilaudid).